

Specification

20 Minuten Friday: Cover

25.04.2024





Specification: Cover

Specifications

Factsheet Special formats

Technical specifications

Technical Specifications

Printing process – Cover:[nbsp]Web-fed offset

Printing process - Content:[nbsp]Web-fed offset

Grid width:[nbsp]60 grid pattern

Point format:[nbsp]Ellipse

Printing tonal range:[nbsp]2% to 98%

Maximum surface coverage:[nbsp]300%

Grey balance/tonal range gain:[nbsp]ProzessStandard offset printing[nbsp]ISO 12647-2, type 3 paper

Digital printing proof: [nbsp]Based on ISO 12647-7 with UGRA/ FOGRA Media wedge 3.0 in compli ance with the tolerances listed in the standard.

Proof simulation - Content:[nbsp]PSO LWC Standard (FOGRA 46)

Paper:[nbsp]65 g/m2 LWC standard matt (Perlentop satin)

Printer Data

All printing material must be supplied in digital form. The supply of data as a PDF file is regarded as standard and is preferred over other file formats.

Data Delivery

All data files transmitted to us must indicate the title and order numbers (i.e.: Friday_AB_Nummer.pdf). The material deadline is Thursday before publication at 14:00.

Print-ready digital artwork

PDF files in PDF/X-1a, PDF/X-3, PDF/X-4 format

Compliant with ISO 15930-7 standard

All image, vector and text elements in CMYK

Trim marks

3 mm bleed off on all sides

Image resolution:[nbsp]300 dpi

Text and picture elements that may not be trimmed must be situated 8 mm from the format edge.

Type area placement: [nbsp]outside 14 mm, inside 14 mm, upper 20 mm, lower 14 mm

Text and picture elements[nbsp]that extend into the centre may become illegible due to folding differences of up to 2 mm. Minimum distance: 8 mm.

Data Transmission

Email: friday@20minuten.ch

(no size restrictions for email attachments)

Post/courier: 20 Minuten AG, Druckmaterial, Werdstrasse 21, Postfach, 8021 Zurich

Completeness check

We require a binding printing proof to carry out a completeness check. If this is not made available to us when the data file is submitted, we can assume no liability for correct implementation of the file in print.

Specifications for inserts

[nbsp]



Delivery

Deadline

3 weeks before publication.

<u>Detailed schedule</u>
[nbsp]