

Specification

Annabelle: 1/2 page vertical



Specifications

Format (W x H in mm)	
Type area:	95 x 249
Bleed format:	107 x 280

Technical specifications

Technical specifications

Bleed ads: add 3 mm for bleed on all four edges. Keep all matter that must not be trimmed within a safety margin of 8 mm from final trim size.

Position of type area: margins: face 12 mm, gutter 15 mm, head 15 mm, foot 16 mm.

Where text or graphic elements extend across the gutter, to avoid them being concealed by the adhesive binding, a safety margin of 10 mm should be observed. [nbsp]

Print documents

Only digital delivery of documents possible. The standard data delivery format is a PDF file. This is preferred to delivery of other file formats. [nbsp]

[1103b]

Data delivery

All transferred data must include the title, issue number, customer name and a keyword for the subject (e.g. annabelle15_customer_keyword.pdf). [nbsp]

Ready-to-print digital templates

PDF format: High-end PDF (embedded fonts). Settings: http://www.pdfx-ready.ch Format/positioning: The document size should match the correct positioning of the advertising space paid Images: CYMK (no RGB color space) Image resolution: 300 dpi [nbsp] Please note: files not meeting the stated specifications will have to be resubmitted. [nbsp] **Data transfer** E-Mail anzeigen@annabelle.ch

[nbsp]

Printing data

Print process: Roll offset Screen count: 60 frames Profile content paper: PSO_LWC_Improved (ECI) Dot shape: Elliptical Starting tone: 4% Total UCR: 280–300% Colours: Euroscale ũ

Grey balance: to ISO standard Dot gain: to ISO standard Test tools: Ugra/Fogra media wedge Trim: 3 mm Spectrophotometer: GretagMacbeth Spectrolino/Spectroscan, SpectroEye

Delivery

[nbsp]

Print documents

Only digital delivery of documents possible. The standard data delivery format is a PDF file. This is preferred to delivery of other file formats. [nbsp]

Data delivery

All transferred data must include the title, issue number, customer name and a keyword for the subject (e.g. annabelle15_customer_keyword.pdf). [nbsp]

Ready-to-print digital templates

PDF format: High-end PDF (embedded fonts). Settings: http://www.pdfx-ready.ch Format/positioning: The document size should match the correct positioning of the advertising space paid Images: CYMK (no RGB color space) Image resolution: 300 dpi [nbsp] Please note: files not meeting the stated specifications will have to be resubmitted. [nbsp] **Data transfer** E-Mail anzeigen@annabelle.ch [nbsp]